

**54.03 SITE LAYOUT AND BUILDING MASSING**

**54.03-1 Street setback objective**

To ensure that the setbacks of buildings from a street respect the existing or preferred neighbourhood character and make efficient use of the site.

**Standard A3**

Walls of buildings should be set back from streets:

- At least the distance specified in the schedule to the zone, or
- If no distance is specified in the schedule to the zone, the distance specified in Table A1.

Porches, pergolas and verandahs that are less than 3.6 metres high and eaves may encroach not more than 2.5 metres into the setbacks of this standard.

**Table A1 Street setback**

<b>DEVELOPMENT CONTEXT</b>	<b>MINIMUM SETBACK FROM FRONT STREET (METRES)</b>	<b>MINIMUM SETBACK FROM A SIDE STREET (METRES)</b>
There is an existing building on both the abutting allotments facing the same street, and the site is not on a corner.	The average distance of the setbacks of the front walls of the existing buildings on the abutting allotments facing the front street or 9 metres, whichever is the lesser.	Not applicable
There is an existing building on one abutting allotment facing the same street and no existing building on the other abutting allotment facing the same street, and the site is not on a corner.	The same distance as the setback of the front wall of the existing building on the abutting allotment facing the front street or 9 metres, whichever is the lesser.	Not applicable

**Table A1 Street setback (continued)**

DEVELOPMENT CONTEXT	MINIMUM SETBACK FROM FRONT STREET (METRES)	MINIMUM SETBACK FROM A SIDE STREET (METRES)
There is no existing building on either of the abutting allotments facing the same street, and the site is not on a corner.	6 metres for streets in a Road Zone, Category 1, and 4 metres for other streets.	Not applicable
The site is on a corner.	<p>If there is a building on the abutting allotment facing the front street, the same distance as the setback of the front wall of the existing building on the abutting allotment facing the front street or 9 metres, whichever is the lesser.</p> <p>If there is no building on the abutting allotment facing the front street, 6 metres for streets in a Road Zone, Category 1, and 4 metres for other streets.</p>	The same distance as the setback of the front wall of any existing building on the abutting allotment facing the side street or 2 metres, whichever is the lesser.

### Decision guidelines

Before deciding on an application, the responsible authority must consider:

- Any relevant neighbourhood character objective, policy or statement set out in this scheme.
- The design response.
- Whether a different setback would be more appropriate taking into account the prevailing setbacks of existing buildings on nearby lots.
- The visual impact of the building when viewed from the street and from adjoining properties.
- The value of retaining vegetation within the front setback.

#### 54.03-2 Building height objective

To ensure that the height of buildings respects the existing or preferred neighbourhood character.

#### Standard A4

The maximum building height should not exceed the maximum height specified in the schedule to the zone.

If no maximum height is specified in the schedule to the zone, the maximum building height should not exceed 9 metres, unless the slope of the natural ground level at any cross section wider than 8 metres of the site of the building is 2.5 degrees or more, in which case the maximum building height should not exceed 10 metres.

Changes of building height between existing buildings and new buildings should be graduated.

### **Decision guidelines**

Before deciding on an application, the responsible authority must consider:

- Any relevant neighbourhood character objective, policy or statement set out in this scheme.
- The design response.
- The effect of the slope of the site on the height of the building.
- The relationship between the proposed building height and the height of existing adjacent buildings.
- The visual impact of the building when viewed from the street and from adjoining properties.

#### **54.03-3 Site coverage objective**

To ensure that the site coverage respects the existing or preferred neighbourhood character and responds to the features of the site.

### **Standard A5**

The site area covered by buildings should not exceed:

- The maximum site coverage specified in the schedule to the zone, or
- If no maximum site coverage is specified in the schedule to the zone, 60 per cent.

### **Decision guidelines**

Before deciding on an application, the responsible authority must consider:

- Any relevant neighbourhood character objective, policy or statement set out in this scheme.
- The design response.
- The existing site coverage and any constraints imposed by existing development or the features of the site.
- The site coverage of adjacent properties.
- The effect of the visual bulk of the building and whether this is acceptable in the neighbourhood.

#### **54.03-4 Permeability objectives**

To reduce the impact of increased stormwater run-off on the drainage system.

To facilitate on-site stormwater infiltration.

### **Standard A6**

At least 20 per cent of the site should not be covered by impervious surfaces.

### **Decision guidelines**

Before deciding on an application, the responsible authority must consider:

- The design response.
- The existing site coverage and any constraints imposed by existing development.
- The capacity of the drainage network to accommodate additional stormwater.
- The capacity of the site to absorb run-off.

- The practicality of achieving at least 20 per cent site coverage of pervious surfaces, particularly on lots of less than 300 square metres.

#### **54.03-5 Energy efficiency protection objectives**

To achieve and protect energy efficient dwellings.

To ensure the orientation and layout of development reduce fossil fuel energy use and make appropriate use of daylight and solar energy.

##### **Standard A7**

Buildings should be:

- Oriented to make appropriate use of solar energy.
- Sited and designed to ensure that the energy efficiency of existing dwellings on adjoining lots is not unreasonably reduced.

Living areas and private open space should be located on the north side of the dwelling, if practicable.

Dwellings should be designed so that solar access to north-facing windows is maximised.

##### **Decision guidelines**

Before deciding on an application, the responsible authority must consider:

- The design response.
- The size, orientation and slope of the lot.
- The existing amount of solar access to abutting properties.
- The availability of solar access to north-facing windows on the site.

#### **54.03-6 Significant trees objectives**

To encourage development that respects the landscape character of the neighbourhood.

To encourage the retention of significant trees on the site.

##### **Standard A8**

Development should provide for the retention or planting of trees, where these are part of the neighbourhood character.

Development should provide for the replacement of any significant trees that have been removed in the 12 months prior to the application being made.

##### **Decision guidelines**

Before deciding on an application, the responsible authority must consider:

- Any relevant neighbourhood character objective, policy or statement set out in this scheme.
- The design response.
- The health of any trees that were removed or are proposed to be removed.
- Whether a tree was removed to gain a development advantage.

#### **54.03-7 Parking objective**

To ensure that car parking is adequate for the needs of residents.

#### **Standard A9**

Two car spaces should be provided per dwelling with:

- One space at least 6 metres long and 3.5 metres wide and covered or capable of being covered.
- The second space at least 4.9 metres long and 2.6 metres wide.

If the car spaces are provided in a garage, carport or otherwise constrained by walls, a double space may be 5.5 metres wide measured inside the garage or carport.

A building may project into a car space if it is at least 2.1 metres above the space.

The requirements of this standard do not apply to extensions to existing dwellings.

#### **Decision guidelines**

Before deciding on an application, the responsible authority must consider:

- The likely needs of users.
- The practicality of providing car parking on the site, particularly for lots of less than 300 square metres.
- The reduction of on-street car parking spaces resulting from the provision of car parking on the site, particularly for lots of less than 300 square metres.
- The availability of public transport and on-street parking.
- Any relevant local planning policy or parking precinct plan.